

CERTIFICATE OF ANALYSIS

COMMODITY :
 INVOICE NO. : LOT NO. : 220520A
 QUANTITY : KG DATE OF ISSUE : MAY.24,2022
 Date of Manufacture: 20/05/2022 DATE OF EXPIRY : 19/05/2025

ITEM	SPECIFICATION	RESULT	TEST METHOD
Appearance & Odor	CLEAR, COLORLESS, SYRUPY LIQUID	Passed	Korean Food Additive
Glycerin content, anhydrous	99.0 min	99.8	Korean Food Additive
Identification	ACROLEIN ODOR	Passed	Korean Food Additive
Chloride	0.001% MAX	Passed	Korean Food Additive
Lead	2 PPM MAX	Passed	Korean Food Additive
Arsenic	2 PPM MAX	Passed	Korean Food Additive
Cadmium	1 PPM MAX	Passed	Korean Food Additive
Mercury	1 PPM MAX	Passed	Korean Food Additive
water	2.00 max	0.90	Korean Food Additive
Residue On Ignition	0.010 max	0.002	Korean Food Additive

Storage Condition Avoid freezing, Keep away from extreme heat or open flame.
 Life time 36months (Room Temperature)

We certify that the above results are true and correct. If you have any question on the above results, don't hesitate to contact us by telephonecall or fax. Thank you.



LG Household & Health Care

Ulsan Plant
 275, Deongmang-ro, Onyang-eup, Ulju-gun
 Ulsan, 44969, Korea
 Website : <http://materials.lgcare.com>

Signature:

박성국

S. K. Park / Head of Quality Control

